TECH CENTER 1600/2900



22000040101.ST25 SEQUENCE LISTING

<120> COMPOSITIONS AND METHODS FOR NONENZYMATIC LIGATION OF OLIGONUCLEOTIDES AND DETECTION OF GENETIC POLYMORPHISMS

<130> 220.00040101 <140> US 09/483,337 <141> 2000-01-14 <150> US 60/116,059 <151> 1999-01-15 <160> 40 <170> PatentIn version 3.0 <210> 1 <211> 28 <212> DNA <213> Artificial <220> <223> autoligating hairpin <220> misc_feature <221> <222> (1)..(1) <223> 5'-deoxy-5'-iodothymidine

<220>

22000040101.ST25 <221> misc_feature <222> (28)..(28) deoxyadenosine with a phosphorothicate group on its 3' hydroxyl group <223> <400> 1 28 nccagcgtac ttttgtacgc tggatgcn <210> 2 <211> 28 <212> DNA <213> Artificial <220> <223> hairpin tccagcgtac ttttgtacgc tggatgca 28 <210> 3 <211> 12 <212> DNA <213> Artificial <220> <223> oligonucleotide <220> <221> misc_feature <222> (1)..(1) <223> 5'-deoxy-5'-iodothymidine <400> 3 ntcacgagcc tg 12 <210> 4

Page 2

<211> 18

<212>	DNA	
<213>	Artificial	
<220>		
<223>	splint oligomer	
<400> ctagtc	4 caaa gtgctcgg	18
<210>	5	
<211>	20	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	oligonucleotide	
<220>		
<221>	misc_feature	
<222>	(1)(1)	
<223>	deoxyguanosine which is radiolabeled with 32P at its 5' end	
<220>		
	misc_feature	
<222>	(8)(8)	
<223>	deoxythymidine with a phosphorothioate group on its 3' hydroxyl group	
<400>	5	2.0
natcag	gntt cacgagcctg	20
<210>	6	
<211>	20	
<212>	DNA	
<213>	Artificial	

<220>	22000040101.ST25	
<223>	20mer duplex carrying a sulfur linkage	
<220>	Tomer dap text carrying a carrar rimage	
<221>	misc_feature	
<222>	(8)(8)	
<223>	deoxythymidine with a phosphorothioate group on its 3' hydroxyl group	
<400> gatcag	6 gntt cacgagcctg	20
<210>	7	
<211>	20	
<212>	DNA	
<213>	Artificial	
<220>	,	
<223>	sense primer	
<400> gtgggg	7 cagg agaccctgta	20
<210>	8	
<211>	20	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	antisense primer	
<400> ccctcc	8 tcta gaggaagcag	20
<210>	9	
<211>	17	
<212>	DNA	
<213>	Artificial	

<220>		
<223>	ligated oligonucleotide	
<400> gtgggc	9 gccg tcggtgt	17
<210>	10	
<211>	17	
<212>	DNA	
<213>	Artificial Artificial	
<220>		
<223>	ligated oligonucleotide	
<220>		
<221>	misc_feature	
<222>	(10)(10)	
<223>	deoxyguanosine with a phosphorothioate group on its 3' hydroxyl group	
<400> gtgggc	10 gccn tcggtgt	17
<210>	11	
<211>	17	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	ligated oligonucleotide	
<220>		
<221>	misc_feature	
<222>	(10)(10)	
<223>	deoxyguanosine with a phosphoroselenoate group on its 3' hydoxyl group	

<400> gtgggc	11 gccn tcggtgt	17
<210>	12	
<211>	12	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	ssDNA starting sequence	
<220>		
<221>	misc_feature	
<222>	(1)(1)	
<223>	5'-deoxy-5'-iodothymidine	
<400> ntcacg	12 agcc tg	12
<210>	13	
<211>	18	
<212>	DNA	
<213>	Artificial	
<220>		
	ssDNA template	
<400>		
	tgaa acctgatc	18
<210>	14	
<211>	20	
<212>	DNA	
<213>	Artificial	
<220>		

```
22000040101.ST25
<223> product of ssDNA ligation
<220>
<221>
      misc_feature
<222>
       (8)..(8)
       deoxythymidine with a phosphorothicate group on its 3 ' hydroxyl group
<223>
<400> 14
                                                                         20
gatcaggntt cacgagcctg
<210>
      15
<211>
      28
<212> DNA
<213> Artificial
<220>
<223>
       duplex DNA starting sequence
<220>
<221>
      misc_feature
<222>
      (1)..(1)
      5'-deoxy-5'-iodothymidine
<223>
<220>
<221>
      misc_feature
<222>
       (28)..(28)
       deoxyadenosine with a phosphorothioate group on its
<223>
       3' hydroxyl group
<400> 15
nccagcgtac ttttgtacgc tggatgcn
                                                                         28
<210>
      16
<211>
       56
<212> DNA
<213> Artificial
```

<220>		
<223>	circular product of duplex DNA ligation	
<220>		
<221>	misc_feature	
<222>	(1)(1)	
<223>	deoxythymidine with a 5'-bridging phosphothioester linking group where sulfur is in the 5'-bridging position	
<220>		
<221>	misc_feature	
<222>	(29)(29)	
<223>	deoxythymidine with a 5'-bridging phosphothioester linking group where sulfur is in the 5'-bridging position	
<400> nccagc	16 gtac ttttgtacgc tggatgcanc cagcgtactt ttgtacgctg gatgca	56
<210>	17	
<211>	20	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	splint oligomer	
<400> acggtc	17 caaa acatatttg	20
<210>	18	
<211>	30	
<212>	DNA	
<213>	Artificial	
∠220s		

```
22000040101.ST25
<223> one-pot ligation oligonucleotide
<220>
<221> misc_feature
<222>
      (1)..(1)
<223> 5'-deoxy-5'-iodothymidine
<220>
<221>
      misc_feature
<222>
       (30)..(30)
       deoxythymidine with a phosphorothioate group on its 3' hydroxyl group
<223>
<400> 18
ngatcacttc gtctcttcag caaaatatgn
                                                                           30
<210> 19
<211>
       33
<212> DNA
<213> Artificial
<220>
<223>
      one-pot ligation oligonucleotide
<220>
<221> misc_feature
<222> (1)..(1)
<223> 5'-deoxy-5'-iodothymidine
<220>
<221> misc_feature
<222> (33)..(33)
       deoxythymidine with a phosphorothioate group on its 3' hydroxyl group
<223>
```

Page 9

<400> 19

nttqqa	22000040101.ST25 ccgt tggtttcgac ttgtcagagg acn	33
<210>	20	
<211>	18	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	splint oligonucleotide	
<400>	20 caag tcctctga	18
ug cgu c		
<210>	21	
<211>	63	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	circular product of one-pot ligation	
<220>		
<221>	misc_feature	
<222>	(1)(1)	
<223>	deoxythymidine with a 5'-bridging phosphothioester linking group where sulfur is in the 5'-bridging position	
	group where surrain is in the solution position	
<220>		
<221>	misc_feature	
<222>	(34)(34)	
<223>	deoxythymidine with a 5'-bridging phosphothioester linking group where sulfur is in the 5'-bridging position	
	group where sulfur is in the 5'-bridging position	
<400> nttgga	21 ccgt tggtttcgac ttgtcagagg actngatcac ttcgtctctt cagcaaaata	60
tgt		63

```
22000040101.ST25
```

<210>	22	
<211>	17	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	18mer complementary strand	
<400> taatac	22 gact cactata	17
<210>	23	
<211>	45	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	template for replication/transcription	
<220>		
<221>	misc_feature	
<222>	(9)(9)	
<223>	deoxythymidine with a 5'-bridging phosphothioester linking group where sulfur is in the 5'-bridging position	
<400> gatcag	23 gtnt cacgagcctt atccgtccta tagtgagtcg tatta	45
<210>	24	
<211>	58	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	5'-bridging phosphorothioate duplex DNA	
<220>		

<221>	misc_feature	
<222>	(1)(1)	
<223>	deoxythymidine with a 5'-bridging phosphorothioate linking group where sulfur is in the 5'-bridging position	
<220>		
<221>	misc_feature	
<222>	(31)(31)	
<223>	deoxythymidine with a 5'-bridging phosphorothioate linking group where sulfur is in the 5'-bridging position	
<400> nccagc	24 gtat cttttgatac gctggatgca nccagcgtac ttttgtacgc tggatgca	58
<210>	25	
<211>	58	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	all phosphodiester DNA	
<400> tccagc	25 gtat cttttgatac gctggatgca tccagcgtac ttttgtacgc tggatgca	58
<210>	26	
<211>	10 .	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	linear autoligation probe	
<220>		
<221>	misc_feature	
<222>	(10)(10)	
<223>	deoxyguanosine with a phosphorothioate group on its Page 12	

3' hydroxyl group

<400> gtgggc		10
<210>	27	
<211>	28	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	MUT target	
<400> cttacc	27 caca ccgacggagc ccaccacc	28
<210>	28	
<211>	28	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	5'MM target	
<400>	28 caca ccgccggagc ccaccacc	28
	one cogological contours	
<210>	29	
<211>	28	
<212>	DNA	
<213>	Artificial	
<220>		
	3'MM target	
<400> cttacc	29 caca ccgaaggagc ccaccacc	28
<210>	30	

<211>	28	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	MMM target	
<400>	30 caca cggacggagc ccaccacc	28
cccacc		
<210>	31	
<211>	48	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	cyclization probe	
<220>		
<221>	misc_feature	
<222>	(1)(1)	
<223>	5'-deoxy-5'-iodothymidine	
<220>		
<221>	misc_feature	
<222>		
<223>	deoxyguanosine with a phosphorothioate group on its 3' hydroxyl group	
<400>	31	
ncggtg	tggg ttttcactga atatcacgat tacattttgt gggcgccn	48
<210>	32	
<211>	28	
<212>	DNA	
<213>	Artificial	

<220>		
<223>	MMM target	
<400> cttacco	32 caaa ccgacggagc ccaccacc	28
<210>	33	
<211>	28	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	MUT target	
<400> cttgaaa	33 aacc cacaccgacg gcgcatca	28
<210>	34	
<211>	28	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	3'MM target	
<400> cttgaaa	34 aacc cacaccgaag gcgcatca	28
<210>	35	
<211>	28	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	MMM target	
<400> cttgaaa	35 aacc cacaccgacg tcgcatca	28

```
<210> 36
<211>
      13
<212> DNA
<213> Artificial
<220>
<223>
      linear probe
<220>
<221> misc_feature
<222> (1)..(1)
<223> 5'-deoxy-5'-iodothymidine
<400> 36
ngtgggcaag agt
                                                                     13
<210> 37
<211> 50
<212> DNA
<213> Artificial
<220>
<223>
      wild-type target
gtcagcgcac tcttgcccac accgccggcg cccaccacca ccagcttata
                                                                     50
<210>
     38
<211> 50
<212> DNA
<213> Artificial
<220>
<223>
      mutant H-ras target
<400>
      38
```

gtcagc	22000040101.ST25 gcac tcttgcccac accgacggcg cccaccacca ccagcttata	50
<210>	39	
<211>	13	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	universal probe	
<220>		
<221>	misc_feature	
<222>	(1)(1)	
<223>	5'deoxy-5'-iodothymidine	
<220>		
<221>	misc_feature	
<222>	(3)(3)	
<223>	fluorescein-dT	
<400>	39 caag agt	13
ייפייפיי	caag age	13
<210>	40	
<211>	28	
<212>	RNA	
<213>	Artificial	
<220>		
<223>	H-ras oncogene target	
<400> gcgcac	40 ucuu gcccacaccg acggcgcc	28